OvenSENTINELTM

New product innovation from ECD




OvenSENTINELTM, the latest continuous monitoring solution from ECD, sets the new standard in reflow process monitoring and product traceability. OvenSENTINELTM leapfrogs competitor product to deliver un-matched measurement and visibility - down to the board and profile specification level - isolating and analyzing potentially damaging process variations. Completely customizable with user-specified dashboards, expanded sensor inputs, and flexible data extractions. OvenSENTINELTM allows detailed and actionable reflow process oversight.

ELECTRONICS



INDUSTRIAL



SOLAR

FOOD/BAKING

Intelligent Continuous Monitoring



SYSTEM INCLUDES:

- OvenSENTINEL™ Station
- Status Badge Green, Yellow & Red
- Oven Zone Thermal Probe (custom per specific oven model)
- Installation Kit for your brand of Oven
- Board In & Conveyor Speed Sensors
- OvenSENTINEL™ Software
- Users Operation Guide

SYSTEM OPTIONS:

- Board Dropped Single & Dual Lane
- Missing Bar Code
- SMEMA Interface Single & Dual Lane
- Power Monitoring
- Light Tower Red, Green & Yellow w/Alarm

DYNAMIC MEASUREMENT CAPABILITIES

- Flexible data extraction that goes beyond standard metrics
- Open architecture that is integration-ready for future measurement needs.
- Unique design allowing extended sensor types and meastures along with density with location profile technology



INDUSTRY 4.0+

- Industry accepted SQL database with mirroring, aggregation built in.
- Easy integration and full featured reporting delivers actionable data and deep analytics
- CFX Ready

AUTOMATED THERMAL PROFILING

Auto start /arm/profile generation/product change over



FULL-FEATURED TRACEABILITY

- Local and remote database support
- Dynamic and full featured traceability record.
- Extended sensor inputs allows for monitoring of additional needed measures like O2

CONTINUOUS QUALITY MONITORING

- Precise PASS / FAIL for every board
- Intuitive interface supports multiple lanes, ovens, and factories
- Responsive and programmable event actions and notifications



OVENSENTINEL™ SOFTWARE

- Continuous oven monitoring
- Process Data Archiving and Playback
- Automatic Statistical Process Control Charting
- Out-of-Specification Alarm
- Trusted traceability with patent-pending TrueProfile™ technology

SPECIFICATIONS

SENSORS

Custom Zone Thermal Probe per Oven Make & Model Optical Board Entry and Exit Inductive Conveyor Speed

MAXIMUM PROBE TEMPERATURE

Flexible Probe: 350°C (662°F) Solid Probe: 350°C (662°F)

DISPLAY / NOTIFICATION

Status Badge / Light Tower (Optional):

- Green: System In Spec
- · Yellow: System Warning
- Red: Out-of-Spec Indicator

PHYSICAL

Station (W x H x D):

• 266.7mm (10.5") x 241.3mm (9.5") x 47.6mm (1.88")

STATION INPUTS (59 TOTAL)

Thermocouple (24):

• Type K, ± 1.5°C (2.7°F)

Digital (7):

- Boolean: True/False (1/0)
- Frequency: 10-1,000Hz ± 1 Hz
- Period: 0-10 Seconds ± 1 Millisecond

RS-485 (1):

MODBUS Protocol

RS-232 (2):

ASCII

SOFTWARE REQUIREMENTS

Microsoft Windows® 7 or higher OvenSENTINEL™ Software: MS SQL (Included)

PATENT

U.S. PATENT No. 6,402,372 & Patent Pending.

WARRANTY

OvenSENTINEL™ System*:

• 2 Years

Custom Oven Zone Temperature Probes*:

- Flexible Probe: 2 Year
- *Warranty is void if incorrectly installed

WEBSITE

WWW.ECD.COM



WORLD HEADQUARTERS

ECD North & South America 4287-B SE International Way Milwaukie, Oregon 97222-8825 U.S.A. Tel: +1 503 659 6100/+1 800 323 4548 Fax: +1 503 659 4422

E-Mail: sales@ecd.com | Web: www.ecd.com

ASIA

ECD Asia/Pacific Singapore Office Mobile: +65 9692 6822 E-Mail: ecd.asia@ecd.com

EMEA

ECD Europe/ Middle East / Africa **UK Office**

Mobile: +44 (0) 7903 252560 E-Mail: ecd.europe@ecd.com

Award winning products, service & software
No-cost ECD Online Training

Accredited Lab







Awards









Social Networks



Member ACCREDITED LAB

Member of

DSD58-6928-00 2021/10